

LOWEST TOTAL COST OF OWNERSHIP (TCO) IN HIGH-ABRASION APPLICATIONS

IMPROVED SEALING SYSTEM CAPABLE OF UP TO 2X THE LIFE OF PREVIOUS SYSTEMS

CUSTOM TRACK SERVICE UNDERCARRIAGE MANAGEMENT

CAT ABRASION ADVANTAGES

DEALER SERVICE AND PARTS ACCESSIBILITY

INDUSTRY'S LONGEST WEAR LIFE IN DEMANDING, HIGH-ABRASION APPLICATIONS CATERPILLAR UNDERCARRIAGE ASSURANCE PROGRAM

LOWEST COST-PER-HOUR SYSTEM IN THE INDUSTRY

COMPLETE INTERCHANGEABILITY OF PARTS AND COMPONENTS WITH SYSTEMONE

If you work in high-abrasion, low-to-moderate impact applications, take a closer look at Cat Abrasion. The cartridge and seal advancements will deliver undercarriage performance at the industry's lowest cost per hour. Talk to your local Cat dealer or visit CAT.COM/CATABRASION.

CAT ABRASION UNDERCARRIAGE


INDUSTRY LEADER IN LOWEST COST PER HOUR













Up to 50% longer life compared to conventional undercarriage*



Double the seal life**

in field follow tests

Industry-best undercarriage assurance up to 6,000 hours on all components

*Compared to Cat Heavy Duty
Extended Life (HDXL) undercarriage.

**See field test results page.

KEY BENEFITS

Cat® Abrasion™ is built on proven Cat Rotating Bushing technology that extends undercarriage wear life. Combined with an advanced proprietary cartridge design that dramatically improves sealability, Cat Abrasion delivers the lowest cost per hour in high-abrasion, low-to-medium impact applications.

LESS MAINTENANCE

Eliminates the need for bushing turns in abrasive applications

R

LOWER COSTS

Better sealability means less maintenance and reduced costs over the lifecycle

EXTENDED WEAR LIFE

Patented relieved tread idler design extends life up to 2x longer compared to traditional idlers


C.

SMOOTHER RIDE

Eliminates contact between idlers and link rails providing a smoother ride for operators

INNOVATIVE IMPROVEMENTS

IMPROVED SEALABILITY COMBINED WITH THE PROVEN WEAR LIFE OF ROTATING BUSHING TECHNOLOGY MEANS CAT ABRASION NEEDS LESS TIME FOR MAINTENANCE AND COSTS LESS TO OPERATE.



FIRST-TO-MARKET CARTRIDGE DESIGN

TOUGHER THRUST RING MATERIAL

Resists chipping and cracking

Δ

REFINED SEAL BORE GEOMETRY

Improves seal life in the harshest conditions

NEW TRACK SEAL & LOAD RING DESIGN

Reduces packing and oil loss in freeze/thaw conditions

NEW EXTENDED LIFE (XL) COATING

Reduces end grooving, corrosion and seal lip wear

D

CURRENT AVAILABILITY: D3-D6 DOZER MODELS*



SystemOne, retiring 2020



STRONG SUPPORT FOR YOUR BOTTOM LINE

Your Cat dealer can help you manage your undercarriage for longer wear life and lower operating costs. Here's how:

CATERPILLAR UNDERCARRIAGE ASSURANCE (UA) PROGRAM

Cat Abrasion offers leakage and breakage coverage for 4 years/6,000 hours, or 100% worn, whichever comes first.

CUSTOM TRACK SERVICE (CTS)

Used by dealer undercarriage specialists, CTS offers customers an efficient inspection process for measuring and managing wear components, identifying equipment issues, predicting undercarriage wear-out timing and calculating cost per hour.

PARTS COMPATIBILITY WITH SYSTEMONE™

Parts are 100% interchangeable between Cat Abrasion and SystemOne™ undercarriage. The only part number changes will be for the link assembly and track group.

FIELD TESTED. FIELD PROVEN.

CAT ABRASION HAS BEEN EXTENSIVELY TESTED AND PROVEN IN THE CATERPILLAR FIELD FOLLOW PROGRAM. THREE NORTH AMERICAN DEALERS TESTED EARLY IRON AND FOUND THAT CAT ABRASION HAS DOUBLE THE SEAL LIFE OF SYSTEMONE IN SIDE-BY-SIDE TESTS.

WEAR LIFE TESTS Cat Abrasion Seal Life SystemOne Seal Life Link Life 200%

SITE PREF

Clay with a high percentage of sand

FINISH GRADING ON SLOPES

Clay with a low percentage of sand

ROAD CONSTRUCTION

High percentage

C

CAT UNDERCARRIAGE: A LINEUP OF TOP PERFORMERS

Cat Abrasion is the newest addition to the Cat undercarriage portfolio. Each undercarriage is designed to meet specific application and machine requirements and deliver the industry's lowest cost per hour.

| | GENERAL DUTY | HEAVY-DUTY EXTENDED LIFE (HDXL) | CAT ABRASION |
|-----------------------------|---|--|---|
| WHERE IT SHOULD WORK | General, light-duty applications with low-to-moderate impact conditions | All applications, including Forestry and Waste, needing production in medium-to-high impact conditions | Applications with high abrasion and low-to-moderate impact conditions |
| TYPE OF JOB | Utility | Production | Production |
| HOW IT IS MANUFACTURED* | Cat specifications met within relaxed tolerances | Cat specifications met within tight tolerances | Cat specifications met within tight tolerances |
| TYPE OF MAINTENANCE | Bushing turn capable, not guaranteed | Bushing turn, wet turn guaranteed | Not required due to design |
| ABILITY TO REBUILD OR REUSE | Designed to run to destruction | Idlers can be reused or rebuilt | Idlers and segments can be reused |

*Manufacturing requirements include grade of material, heat treatment, form, fit, function and dimensional accuracy.

